r-	Hits	Search Text	DB	Time stamp
L Number	nits	Search lext	DB	Time Stamp
3	316	((display\$3 or output\$3 or show\$3 or	USPAT;	2003/11/11
1 3	310	render\$3) with (in adj succession)) and	US-PGPUB;	15:08
		(@ad<20010426)	IBM TDB	
4	81	((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
•	01	chronologic\$7) and ((display\$3 or	US-PGPUB;	15:13
		output\$3 or show\$3 or render\$3) with ((in	IBM_TDB	
		adj succession) or (one near2 one) or		
		continous\$5)) and (@ad<20010426)		
7	176	l de la companya de	USPAT;	2003/11/11
'	1,0	chronologic\$7) and (captur\$3 with (file\$2	US-PGPUB;	16:18
		or object\$2 or data\$2 or record\$2 or	IBM TDB	
		image\$2 or picture\$2 or vedio\$2 or		
		multimedia)) and (@ad<20010426)		
13	1	l	USPAT;	2003/11/11
		chronologic\$7) same (easy or fast)) and	US-PGPUB;	18:21
		(captur\$3 with (file\$2 or object\$2 or	IBM TDB	
		data\$2 or record\$2 or image\$2 or	_	
		picture\$2 or vedio\$2 or multimedia)) and		
1		(@ad<20010426)		
16	321		USPAT;	2003/11/11
		play\$3 or render\$3) with ((in adj	US-PGPUB;	17:26
		succession) or ((one near2 one) with	IBM_TDB	
		continous\$5))) and (@ad<20010426)	_	
17	19	1	USPAT;	2003/11/11
		play\$3 or render\$3) with (music or	US-PGPUB;	17:30
		multimedia\$3 or image\$2 or file\$2) with	IBM_TDB	
		((in adj succession) or ((one near2 one)	]	
		with continous\$5))) and (@ad<20010426)		
19	486		USPAT;	2003/11/11
		play\$3 or render\$3) with (music or	US-PGPUB;	17:31
		multimedia\$3 or image\$2 or file\$2) with	IBM_TDB	
		((in adj succession) or ((one near2 one)	1	
		with continous\$5) or forward)) and		
		(captur\$3 with (file\$2 or object\$2 or		
	1	data\$2 or record\$2 or image\$2 or		
		picture\$2 or vedio\$2 or multimedia)) and		
1		(@ad<20010426)		2002/11/11
21	1	(((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
		chronologic\$7) same (easy or fast)) and	US-PGPUB;	18:22
		(captur\$3 with (file\$2 or object\$2 or	IBM_TDB	
		data\$2 or record\$2 or image\$2 or		
		picture\$2 or vedio\$2 or multimedia)) and		
		(@ad<20010426) and ((stor\$3 or sav\$3 or		
1	0031	sort\$3) with order)	USPAT;	2003/11/11
-	9931	((captur\$3 or sav\$3 or track\$3 or trap\$5	US-PGPUB;	15:06
		or store or storing) with (message or frame or screen or banner or	IBM TDB	-0.00
		advertisement or ads)).ab. and	1211_122	
		(@ad<20010426)		1
_	73	1 '	USPAT;	2003/05/15
_	1 '3	reshow\$3 or (re adj (wind\$3 or play\$3 or	US-PGPUB;	12:50
		display\$3 or show\$3))) and ((captur\$3 or	IBM TDB	
		sav\$3 or track\$3 or trap\$5 or store or		
		storing) with (message or frame or screen		
		or banner or advertisement or ads))).ab.		
	1	and (@ad<20010426)		
_	4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2003/05/15
		reshow\$3 or (re adj (wind\$3 or play\$3 or	US-PGPUB;	12:51
1		display\$3 or show\$3))) and ((automatic\$5	IBM TDB	
1		or dynamic\$5) with (captur\$3 or sav\$3 or	_	
1		track\$3 or trap\$5 or store or storing)		
1		with (message or frame or screen or		
		banner or advertisement or ads))).ab. and		
		(@ad<20010426)	<u> </u>	<u>                                     </u>

			_	
	493	((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:52
-	276	((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads)) and ((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:55
	143	(internet or web or html or display\$3).ab. and ((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or box or frame or screen or banner or advertisement or ads)) and ((playback\$3 or rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15
_	458	(internet or web or html or display\$3).ab. and (automatic\$5 with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or box or frame or screen or banner or advertisement or ads or browser or web)) and (@ad<20010426) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls. or 705/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:58
-	<u>2</u> 38	(snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15
-	19	((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) with (screen or frame or web or browser or advertisement or ads)).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15
_	36	((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15
_	387	(((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:00
_	114	((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)) and (internet or web or html or display\$3).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:01

-	573	(internet or web or html or	USPAT;	2003/05/15
		display\$3).ab. and ((captur\$3 or sav\$3 or	US-PGPUB;	13:03
		track\$3 or trap\$5 or store or storing)	IBM TDB	
		with (message or box or frame or screen	_	
1		or banner or advertisement or ads)) and		
		((playback\$3 or rewind\$3 or replay\$3 or		
		redisplay\$3 or reshow\$3 or (re adj		
1		(wind\$3 or play\$3 or display\$3 or		
		show\$3))) with (browser or html or xml or		
		page or web or message or frame or screen		
i		or banner or advertisement or ads)) and	,	
		(@ad<20010426) and (707/\$.ccls. or		
	ļ	709/\$.ccls. or 715/\$.ccls. or 705/\$.ccls.		
		or 345/\$.ccls.)		
_	25	((((snapshoot\$3 or snapshot\$3 or (snap	USPAT;	2003/05/15
		adj (shoot\$3 or shot\$3))) and (screen or	US-PGPUB;	13:04
		frame or web or browser or advertisement	IBM TDB	13.01
	Į.	or ads)) same (sav\$3 or store or	1211_122	
		storing)) and (@ad<20010426)) and		
		(internet or web or html or		
		display\$3).ab. and ((playback\$3 or		
		rewind\$3 or replay\$3 or redisplay\$3 or		
•		reshow\$3 or (re adj (wind\$3 or play\$3 or		
		display\$3 or show\$3))) with (browser or		
		html or xml or page or web or message or		ļ
		frame or screen or banner or		
		advertisement or ads))		
_	1	l	USPAT;	2003/05/17
	1	2001000,5010	US-PGPUB;	00:41
			IBM TDB	*****
_	1	((captur\$3 or sav\$3 or track\$3 or trap\$5	USPAT;	2003/05/16
	-	or store or storing) with (message or	US-PGPUB;	14:56
		frame or screen or banner or	IBM TDB	
		advertisement or ads)).ab. and		
		(@ad<20010426) and (autosav\$3 or (auto		
		adj sav\$3))		
_	27	1 3 ' ' '	USPAT;	2003/05/16
	[	with (message or frame or screen or	US-PGPUB;	17:06
	[	banner or advertisement or ads)) and	IBM TDB	
	1	(@ad<20010426) and (autosav\$3 or (auto		
	1	adj sav\$3))		
_	359		USPAT;	2003/05/16
		with (message or frame or screen or	US-PGPUB;	17:11
	[	banner or advertisement or ads) with	IBM TDB	
	1	(configura\$5 or predetermined or defined)	_	
	1	with (rate or time or frequen\$3 or		
	1	period\$3)) and (@ad<20010426) and		
	1 .	(345/\$.ccls. or 705/\$.ccls. or		
	1	707/\$.ccls. or 709/\$.ccls. or		
		715/\$.ccls.)		
_	1132	, · - · · · · · · · · · · · · · · · · ·	USPAT;	2003/05/16
		picture or message) with (predetermined	US-PGPUB;	18:21
	[	or defined configura\$3) with (time or	IBM TDB	
		rate or frequenc\$3)) and (@ad<20010426)	==	
	1	and (345/\$.ccls. or 705/\$.ccls. or		
		707/\$.ccls. or 709/\$.ccls. or		
		715/\$.ccls.)		
L	L	, 10, 7.001D.	I	<u> </u>

-	82	(((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with	USPAT; US-PGPUB; IBM TDB	2003/05/16 15:15
		(configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or	1541_155	
		period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or		
		707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (((display\$3 or		
		present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (time or rate or		
		frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or		
ن		707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.))		
-	. 96	(powerpoint with presentation) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/05/16
	34	((powerpoint with presentation) and (@ad<20010426) and (345/\$.ccls. or	USPAT; US-PGPUB;	2003/05/16 15:26
		705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and rate	IBM_TDB	
-	1	<pre>(((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with</pre>	USPAT; US-PGPUB; IBM TDB	2003/05/16 15:22
		(configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or		
		period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or		
		707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (powerpoint with presentation)		
-	12	((powerpoint with presentation) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (dispaly \$3 with	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:58
-	83	<pre>(rate or frequency)) ((captur\$3 or sav\$3 or store or storing)</pre>	USPAT;	2003/05/16
		with (message or frame or screen or banner or advertisement or ads) with (user or client) with (configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or	US-PGPUB; IBM_TDB	17:51
	2.1	705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	исраж.	2002/05/16
	21	((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and	USPAT; US-PGPUB; IBM_TDB	2003/05/16
		(345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)		
-	2	(powerpoint and presentation).ab. and (@ad<20010426)	USPAT; US-PGPUB;	2003/05/16 18:20
-	240	((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or	IBM_TDB USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04
		frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or		
		715/\$.ccls.)		

_	6	with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:36
-	. 111	715/\$.ccls.) and (network or online).ab. ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:53
-	23	715/\$.ccls.) and (network or online).ab. ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:06
-	3	online).ab. ((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval) with rate) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:04
-	58	online).ab.  ((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:44
-	1159	(DOM or (document adj object adj model)) and (@ad<20010426)	USPAT; US-PGPUB; IBM TDB	2003/05/16 20:43
_	2	((DOM or (document adj object adj model)) with determin\$3 with (change or	USPAT; US-PGPUB; IBM TDB	2003/05/16 21:34
-	11	or record\$3) with (different or modified or changed) with (file or message or frame or screen or banner or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:11
-	. 254	advertisement or ads)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (DOM or (document adjobject adj model)) ((captur\$3 or sav\$3 or store or storing or record\$3) with ((different or modified or changed) near2 (file or message or frame or screen or banner or advertisement or ads))) and (@ad<20010426) and 707/\$.ccls. and (captur\$3 or sav\$3 or store or storing or record\$3).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 22:07

-	1	(((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
		or record\$3) with ((different or modified	US-PGPUB;	21:25
	'	or changed) near2 (file or message or	IBM TDB	
		frame or screen or banner or	_	
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
		(captur\$3 or sav\$3 or store or storing or		
		record\$3).ab.) and (DOM or (document adj		
		object adj model))		
	27	((DOM or (document adj object adj model))	USPAT;	2003/05/16
-	21			21:42
		with (change or modification or	US-PGPUB;	21:42
		trigger\$3)) and (document adj object adj	IBM_TDB	
		model) and (@ad<20010426)		/
-	96	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2003/05/16
		or record\$3) with ((different or modified	US-PGPUB;	22:12
		or changed) near2 (file or message or	IBM_TDB	
		frame or screen or banner or		
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
		(captur\$3 or sav\$3 or store or storing or		
1		record\$3).ab. and (determin\$3 with		
		(modified or chang\$3 or modification))		
_	7	5572643.pn. or 5708825.pn. or 5737619.pn.	USPAT;	2003/05/17
	1	or 5745360.pn. or 5761683.pn. or	US-PGPUB;	00:42
		6018748.pn. or 6021435.pn.	IBM TDB	
į.	1	0010/10.pii. 01 0021133.pii.	1011_100	